

ACCUVAC Pro

Experience in Great Shape –
Professionals Demand Nothing Less







ACCUVAC Pro

Experience in Great Shape - Professionals Demand Nothing Less

The first life-saving step involves clearing the patient's airways of obstructions so that effective ventilation can be administered. In an emergency situation the patient's survival depends on keeping the airways clear. ACCUVAC Pro ensures free and clear airways by suctioning the mouth and throat or endotracheal or bronchial areas. The pump's high suction capacity and its easy handling assist medical personnel in carrying out this effective and proven patient procedure in professional emergency medical services.

WEINMANN

ACCUVAC Pro with disposable canister system, wall mounting, accessories bag and 12-V connection cable, WM 11625

Your advantages at a glance

- Variable use
- Safe and hygienic
- Simple operation, robust
- EN 1789-compliant, air worthy as per RTCA DO-160G

Broad application range, flexible operation

With a choice of four pre-defined suction levels, the user can adjust the suction capacity to every situation. ACCUVAC Pro can be used on babies, children and adults. In addition to suctioning airways, ACCUVAC Pro also deflates vacuum splints and mattresses.



ACCUVAC Pro with reusable canister system, wall mounting and 12-V connection cable, WM 11610





Convenient operation, broad application spectrum

- High suction capacity of about 34 liters/minute at
 -0.8 bar (at device inlet)
- Rechargeable battery: user can easily change battery without opening device and without tools
- Modern lithium-ion rechargeable battery with greater run time of more than 60 minutes
- Four pre-defined vacuum levels can be selected by user
- Automatic function check with rapid visual and acoustic feedback
- Safe secretion collection in auto-clavable reusable secretions canister with bacteria filter and overflow protection or disposable Serres® suction bag with integrated bacteria filter
- Robust housing made of impact-resistant materials
- Non-tip housing with low center of gravity

Ideal operation in everyday medical services

- Optimum accommodation of suction tube in holder on side of device
- Single-handed release from wall mounting with the press of a button
- Compatible with existing ACCUVAC wall mounting
- Optionally available: large accessories bag, protective bag and/or shoulder strap

For every type of patient and every emergency operation

- Suctioning of secretions and food particles
- Endotracheal and bronchial suction
- Particularly suitable for pre-hospital care
- Deflate vacuum splints and mattresses
- Suitable for use on babies, children and adults

Secretion Suction Device		
Device Description	WM-Nr.	
ACCUVAC Pro with reusable canister system	11600	
ACCUVAC Pro with reusable canister system, wall mounting and 12-V connection cable	11610	
ACCUVAC Pro with reusable canister system, wall mounting, accessories bag and 12-V connection cable	11620	
ACCUVAC Pro with reusable canister system and accessories bag	11640	
ACCUVAC Pro with disposable canister system	11605	
ACCUVAC Pro with disposable canister system, wall mounting and 12-V connection cable	11615	
ACCUVAC Pro with disposable canister system, wall mounting, accessories bag and 12-V connection cable	11625	
ACCUVAC Pro with disposable canister system and accessories bag	11645	































Consumables

Serres® suction bag 1000 ml, with hydrophobic filter and solidifying agent (packaging unit: 32 items in carton)

Disposable suction tube with fingertip control for use with disposable system, 180 cm in length, 7 mm ID, also available in sets of 10, 20, 32 and 50 tubes WM 17800

WM 10778

WM 11691

WM 11692

WM 11693

WM 10650

WM 2620

WM 17820

Reusable suction tube
130 cm long, 10 mm ID, also available in sets of 10, 20 and 50 tubes

Fingertip control for reusable suction tube 10 mm ID also available in sets of 10, 20 and 50

Set of 10 bacteria filters for reusable secretions canister

WM 10662

WM 10666

WM 17830

WM 17825

WM 17829

WM 15805

ACCUVAC Pro Accessories

Accessories bag
 Battery compartment cover for accessories bag is required (WM 11614)

 Protective bag
 Shoulder strap
 12-V connection cable
 Mains/charger unit

for 100V to 240V alternating current to ACCUVAC device plug, including power cable in compliance with EN 50075 (Europlug)

Conversion set for reusable canister system

consisting of:

Set, reusable canister system for ACCUVAC Pro and Lite (WM 17821)

■ Holder for reusable canister system (WM 11654)

Conversion set for disposable canister system consisting of:

■ Holder for disposable canister system (WM 11754)

■ Vacuum tube for Serres® secretions canister (WM 11761)

■ Serres® secretions canister, complete (WM 10790)

Conversion set for accessories bag consisting of

■ Battery compartment cover for accessories bag (WM 11614)

■ Accessories bag (WM 11691)

14 Wall mounting for ACCUVAC

Attachment set with two adapters for standard hospital rails also required for installation on device rails

including installation set

Holding plate for standard hospital rail

also required for suspension from hospital rail

WM 15208 WM 15845

Replacement parts for reusable system Upper part of secretions canister cover, WM 11657 Filter holder, WM 11661 O-Ring for filter holder, WM 11663 Bacteria filter, WM 11659 Lower part of secretions canister cover, WM 11658 Ball float valve, WM11662 Reusable secretions canister 1000 ml, WM 11653 Reusable suction tube 10 mm ID, WM 10662 Fingertip control for reusable

Replacement parts for Serres® disposable system

suction tube, 10 mm ID,

Reusable canister system with holder,

 Secretions canister cover, complete, consisting of replacement parts 1 – 6,

consisting of replacement parts 1 - 9,

Conversion set for reusable canister system,

consisting of replacement parts 1 - 10,

Set, reusable canister system,

WM 10666

WM 11654

WM 17822

WM 17821

WM 17820

Serres® secretions canister, complete consisting of:	WM 10790
■ Secretions canister, 1000 ml (WM 10775)	
■ Suction bag	
■ Disposable suction tube with fingertip control (WM 10778)	
Serres® secretions canister, 1000 ml	WM 10775
■ Vacuum tube for Serres® secretions canister	WM 11761
Holder for disposable canister system	WM 11754
Set disposable canister system	WM 17826
consisting of:	
■ Vacuum tube for Serres® secretions canister (WM 11761)	
■ Serres® secretions canister, complete (WM 10790)	

WM 10799

Replacement parts for ACCUVAC Pro


Angled connector for Serres® canister, reusable

Set, catch release	WM 17827
Lithium-ion rechargeable battery	WM 11603
■ Battery compartment cover (without eyelets	
for accessories bag)	WM 11604
Holder for suction tube	WM 11664
Device base	WM 11677

Remote diagnosis for device disorder (Telesupport)

Safety and Reliability Day after Day

In the event of a malfunction, you can read out the service files from your ACCUVAC Pro and send them to WEINMANN Emergency. At best, the data are enough for our specialists to provide a remote diagnosis so they can work with you to resolve the problem. If not, we will take a closer look at your device and, as needed, we will give you a replacement device to use while yours is out of service.



₽ T	
E	
SSic	
E	
be	
ess	
ğ	
e e	
듣	
ŧ	
<u>></u>	
on	
pu	
. <u>s</u>	
d an	
of ar	
F 8	
dicatic are re	
upli Is al	
<u> </u>	
urg. ficati	
=	
Ham mod	
7. P	
ency	
nerge nd de	
a E	
<u>a</u> <u>F</u>	
₽ ₽	
te ≧	
무	
hts	
Copyrighty.	
ĕ₽	
خ ٽ	
gen gen	
01!	
4/201 Emer	
O Z	
1 1 F	
83510-EI WEINMA	
83. WE	

Product class as per Directive 93/42/EEC	lla
RoHS-conformity as per Directive 2011/65/EU (RoHS II)	Yes
Classification as per EN ISO 10079-1	High vacuum/high flow
Standards used	EN 60601-1, EN ISO 10079-1, EN 1789, RTCA DO-160 G, EN 60601-1-12
Dimensions (W x H x D): ■ with reusable canister system ■ with disposable canister system	370 x 277 x 146 mm 370 x 277 x 146 mm
Weight: Device with rechargeable battery/without cansister system and holder Reusable canister system with holder for reusable canister system Disposable canister system with holder for disposable canister system	3.65 kg 1.0 kg 0.65 kg
Operation: Temperature range	-5 °C to +50 °C
Transport/Storage:	-40 °C to +70 °C
Maximum current consumption	3.7 A
Rated voltage	12 V DC nominal (min. 10 V, max. 15 V)
Suction capacity at device inlet (without canister system) at -0.8 bar, fully charged battery and 21 °C/1013 hPa	34 l/min
Suction capacity at inlet to reusable canister system at -0.8 bar, fully charged battery and 21 °C/1013 hPa	30 l/min
Vacuum settings	Pre-defined levels: -0.1 bar, -0.2 bar, -0.5 bar and -0.8 bar, electronically regulated
Type of operation	S2 60 min
Degree of protection	IP34D
Type of rechargeable battery	Li-ion
Rechargeable battery ■ Charging time	Battery status 80%: 2 hrs, 40 min (at 20 °C without operation) Battery status 100%: about 4 hrs
■ Service life ■ Battery runtime	500 charging cycles 60 min (of uninterrupted operation with fully charged/new battery)
Volume of secretions canister	1000 ml
Reusable suction tube	10 mm ID, 1300 mm long
Disposable suction tube	7 mm ID, 1800 mm long

Simply Professional

WEINMANN Emergency is a family-owned, internationally active medical technology company. With our mobile system solutions for emergency, transport and disaster medicine, we set standards for saving human lives.

In close collaboration with professional users in emergency medical services, hospitals and armies, we develop innovative medical products for ventilation and defibrillation. For more than 100 years we have offered our customers a high degree of reliability, extensive experience and quality made in Germany.







